



Published standards are available from the American National Standards Institute [ANSI](#) or the INCITS at [Techstreet](#)

INCITS 100-1989[S2010]

[Interface Between DTE & DCE for Packet Mode Operation with Packet Switch Data Communications Networks \(CCITT X.25\)](#)

Committee: INCITS/INCITS

INCITS 100A-1991[S2010]

[Addendum to X3.100-1989, NUI and NUI-Derived Facility](#)

Committee: INCITS/INCITS

INCITS 103-1983[S2011]

[Unrecorded Magnetic Tape Minicassette For Information Interchange, Coplanar 3.81 mm \(0.150 Inch\)](#)

Committee: INCITS/INCITS

INCITS 11-1990[S2007]

[Specification for General Purpose Paper Cards for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 111-1986[S2007]

[Information Systems - Optical Character Recognition \(OCR\) - Matrix Character Sets for OCR-MA](#)

Committee: INCITS/INCITS

INCITS 112-1984[S2007]

[14-Inch \(356 mm\) Diameter Low Surface Friction Magnetic Storage Disk](#)

Committee: INCITS/INCITS

INCITS 113-1987[S2008]

[Programming Language Full BASIC \(price includes Addendum\)](#)

Committee: INCITS/PL22

INCITS 113:1989/TIB-1-1991[]

[Technical Information Bulletins for ANSI X3.113-1987\(BASIC\) and ANSI X3.113A-1989 \(Addendum\)](#)

Committee: INCITS/PL22

INCITS 113A-1989[S2008]

[Addendum to Programming Language Full BASIC, Modules and Individual Character Input Enhancement](#)

Committee: INCITS/PL22

INCITS 115-1984[S2007]

[Physical, Mechanical & Magnetic Characteristics of an Unformatted 80 Megabyte Trident Pack for Use at 370 TPI, 6000BPI](#)

Committee: INCITS/INCITS

INCITS 116-1986[S2007]

[Recorded Magnetic Tape Cartridge, for Information Interchange, 4-track, Serial, 0.250 in. \(6.30 mm\), 6400 bpi \(252 bpm\), Inverted Modified Frequency Modulation Encoded](#)

Committee: INCITS/INCITS

INCITS 117-1984[S2007]

[Printable/Image Areas for Text and Facsimile Communication Equipment](#)

Committee: INCITS/INCITS

INCITS 118-1998[S2008]

[Personal Identification Number - PIN Pad](#)

Committee: INCITS/B10

INCITS 119-1984[S2007]

[Contact Start/Stop Storage Disk, 158361 Flux Transitions Per Track, 8.268 Inch Outer and 3.937 Inch Inner Diameters](#)

Committee: INCITS/INCITS

INCITS 120-1984[S2007]

[Contact Start/Stop Storage Disk, 95840 Flux Transitions Per Track, 7.874 Inch Outer & 2.50 Inch Inner Diameters](#)

Committee: INCITS/INCITS

INCITS 121-1984[S2011]

[Two-Sided Unformatted 8-Inch \(200 MM\) Double Density Flexible Disk Cartridge \(For 13262 FTPR Two-headed Application\) \(Combined with Project 287\)](#)

Committee: INCITS/INCITS

INCITS 124-1985[R2007]

[Information processing systems - Computer graphics - Graphical Kernel System \(GKS\) Functional Description](#)

Committee: INCITS/H3

INCITS 124.1-1985[S2011]

[FORTRAN Binding of Graphical Kernel System \(GKS\)](#)

Committee: INCITS/H3

INCITS 124.2-1988[S2009]

[Information Systems - Computer Graphics - Graphical Kernel System \(GKS\) Pascal Binding](#)

Committee: INCITS/H3

INCITS 124.3-1989[S2010]

[Information Systems - Computer Graphics - Graphical Kernel System \(GKS\), Ada Binding](#)

Committee: INCITS/H3

INCITS 125-1985[S2011]

[Two-Sided, Double-Density, Unformatted 5.25 Inch \(130 mm\) 48-tpi \(1.9 tpm\) Flexible Disk Cartridge for 7958 BPR Use](#)

Committee: INCITS/INCITS

INCITS 126-1986[S2007]

[One or Two-sided Double Density Unformatted 5.25 inch 96 Tracks per inch Flexible Disk Cartridge -- General, Physical and Magnetic Requirements](#)

Committee: INCITS/INCITS

INCITS 127-1986[S2007]

[Unrecorded Magnetic Tape Cartridge for Information Interchange - 0.250 in \(6.30mm\), 6400-10000 ftpi \(252-394 ftpmm\)](#)

Committee: INCITS/INCITS

INCITS 131-1994[R2008]

[Information Technology -- Small Computer System Interface - 2 \(SCSI-2\)](#)

Committee: INCITS/T10

INCITS 131:1994/TIB-1-1995[]

[ANSI X3.131:1994 Technical Information Bulletin 1](#)

Committee: INCITS/T10

INCITS 131:1994/TIB-2-1995[]

[ANSI X3.131:1994 Technical Information Bulletin 2](#)

Committee: INCITS/T10

INCITS 136-1986[S2007]

[Serial Recorded Magnetic Tape Cartridge for Information Interchange, 4 and 9 track, 0.250 in. \(6.30 mm\) 8000 bpi, GCR Streaming Mode, Group Code Recording](#)

Committee: INCITS/INCITS

INCITS 137-1988[S2008]

[Unformatted Flexible Disk Cartridge for Information Interchange 90 mm \(3.5 in\) 5.3 Tracks per mm \(135 Tracks per in\), General, Physical, & Magnetic Requirements for 7958 BPR Use](#)

Committee: INCITS/INCITS

INCITS 139-1986[S2007]

[Fiber Distributed Data Interface - Media Access Control \(FDDI-MAC\)](#)

Committee: INCITS/INCITS

INCITS 14-1983[S2011]

[Recorded Magnetic Tape for Information Interchange \(200 CPI, NRZI\) \(With X3L2 see Project 237-M\)](#)

Committee: INCITS/INCITS

INCITS 145-1986[R2007]

[Codes for Identification of Hydrologic Units in the U.S. and the Caribbean \(Outlying\) Areas](#)

Committee: INCITS/L1

INCITS 148-1988[S2008]

[Fiber Distributed Data Interface \(FDDI\) Physical Layer \(PHY\)](#)

Committee: INCITS/INCITS

INCITS 149-1986[R2007]

[Financial Services - Financial Transaction Card Formsets - Location of Imprinted Information](#)

Committee: INCITS/B10

INCITS 150-1986[S2007]

[Office Machines and Business Forms Character and Line Spacing](#)

Committee: INCITS/INCITS

INCITS 151-1986[S2007]

[Basic Sheet Sizes and Standard Stock Sizes for Bond Paper and Index Bristols](#)

Committee: INCITS/INCITS

INCITS 152-1986[S2007]

[Specifications for Single-Ply, Non-carbonized Adding Machine Paper](#)

Committee: INCITS/INCITS

INCITS 154-1988[S2009]

[Office Machines and Supplies Alphanumeric Machine -- Keyboard Arrangement](#)

Committee: INCITS/W1

INCITS 157-1987[S2008]

[Recorded Magnetic Tape for Information Interchange 0.5 in \(12.7 mm\), Tape, Nine Track, 3200 CPI \(126 CPMM\), Phase Encoded](#)

Committee: INCITS/INCITS

INCITS 158-1987[S2008]

[Serial Recorded Magnetic Tape Cassette for Information Interchange - 0.150 in \(3.82 mm\), 8000 bpi \(315 bpm\) Group Code Recording Streaming Mode, Four Tracks](#)

Committee: INCITS/INCITS

INCITS 162-1988[S2009]

[Two-sided, High-Density, Unformatted, 5.25-inch \(130-mm\), 96-tpi, \(3.8 tpmm\), flexible disk cartridge for 13 262 fpr use - general, physical, and magnetic require](#)

Committee: INCITS/B11

INCITS 162:1988/TC-1-1995[S2009]

[Two-sided, High-Density, Unformatted, 5.25-inch \(130-mm\), 96-tpi, \(3.8 tpmm\), flexible disk cartridge for 13 262 fpr use - general, physical, and magnetic require ANSI X3.162:1988 TECHNICAL CORRIGENDUM 1](#)

Committee: INCITS/INCITS

INCITS 164-1990[S2011]

[Unrecorded Magnetic Tape Cassette for Information Interchange 3.81 mm \(0.150 In\), 252 to 394 ftpmm \(6400 to 10000 ftpi\)](#)

Committee: INCITS/INCITS

INCITS 165-1988[S2007]

[A Contact Start/Stop Metallic Thin Film Storage Disk, 83,333 Flux Transition Per Track, 130MM Outer Dia. & 40MM Inner Dia](#)

Committee: INCITS/PL22

INCITS 165-1992[S2007]

[Programming Language DIBOL](#)

Committee: INCITS/PL22

INCITS 166-1989[S2010]

[Fiber Distributed Data Interface \(FDDI\) Physical Layer, Medium Dependent \(PMD\)](#)

Committee: INCITS/INCITS

INCITS 166:1989/TIB-1-1994[]

[ANSI X3.166:1989 Technical Information Bulletin 1](#)

Committee: INCITS/INCITS

INCITS 17-1981[S2007]

[Character Set for Optical Character Recognition \(OCR-A\)](#)

Committee: INCITS/INCITS

INCITS 171-1989[S2010]

[One and Two-Sided, High Density, Unformatted, 90-mm \(3.5 in\), 5,3 tpmm \(135-tpi\), Flexible Disk Cartridge for 15 916 bpr Use - General, Physical and Magnetic Requirements](#)

Committee: INCITS/INCITS

INCITS 172-2002[R2007]

[American National Standard Dictionary for Information Technology \(ANSDIT\)](#)

Committee: INCITS/INCITS

INCITS 175-1999[R2008]

[19-mm Type ID-1 Recorded Instrumentation - Digital Cassette Tape Form \(Revision of ANSI X3.175:1990\)](#)

Committee: INCITS/INCITS

INCITS 178-1990[S2010]

[Packet-Switched Signalling System Between Public Networks Providing Data Transmission Services](#)

Committee: INCITS/INCITS

INCITS 178A-1991[S2010]

[Addendum to ANSI X3.178:1990, NUI Utility Extensions and Format Constraints](#)

Committee: INCITS/INCITS

INCITS 179-1990[S2007]

[Contact Start-Stop Metallic Thin-Film Storage Disk - 83 333 Flux Transitions per Track 95-mm \(3.740 in\) Outer Diameter and 25-mm \(0.984 in\) Inner Diameter and 1.27-mm \(0.050 in\) Thickness](#)

Committee: INCITS/INCITS

INCITS 18-1974[S2010]

[Punched paper tape -- Dimensions and location of feed holes and code holes](#)

Committee: INCITS/INCITS

INCITS 180-1990[S2011]

[Magnetic Tape and Cartridge for Information Interchange, 18-Track, Parallel, 12.65mm \(1/2 in.\) 1491 cpmm \(37 871 cpi\) Group-Coded, Requirements for Recording](#)

Committee: INCITS/INCITS

INCITS 181-1990[S2011]

[Recorded Magnetic Tape Cartridge for Information Interchange 0.500 in, 22 and 48 Tracks Serial Serpentine, 6 667 and 10 000 bpi](#)

Committee: INCITS/INCITS

INCITS 182-1990[S2007]

[Information Systems - Bar Code Print Quality Guideline](#)

Committee: INCITS/INCITS

INCITS 183-1991[R2011]

[Information technology - High-Performance Parallel Interface \(HIPPI\) - Mechanical, Electrical, and Signalling Protocol Specification \(HIPPI-PH\)](#)

Committee: INCITS/T11

INCITS 184-1993[R2008]

[Fiber Distributed Data Interface \(FDDI\) Single Mode Physical Layer Medium Dependent\(SMF-PMD\)](#)

Committee: INCITS/INCITS

INCITS 186-1992[S2007]

[Fiber Distributed Data Interface \(FDDI\) Hybrid Ring Control \(HRC\)](#)

Committee: INCITS/INCITS

INCITS 187-1990[S2011]

[Recorded Magnetic Tape for Longitudinal Recording of Instrumentation Data-Interchange](#)

Committee: INCITS/INCITS

INCITS 189-1991[S2007]

[Interface between DTE and DCE for Terminals Operating in the Packet Mode and Accessing a Packet Switched Public Data Network through Switched Access](#)

Committee: INCITS/INCITS

INCITS 19-1974[S2010]

[Eleven-Sixteenths Inch Perforated Paper Tape for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 197-1991[S2007]

[Unrecorded Magnetic Tape & Cartridge for Information Interchange -1/2 in \(12.65\) Serial Serpentine, 22-Track, 6 667 ftpi \(262 ftpmm\) & 48-Track 10 000 ftpi \(394 ftpmm\)](#)

Committee: INCITS/INCITS

INCITS 199-1991[R2007]

[356 mm Optical Disk Cartridge \(Write-Once\) - Test Methods for Media Characteristics](#)

Committee: INCITS/B11

INCITS 20-1967[S2010]

[Take-up Reels for One Inch Perforated Tape for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 203-1992[S2007]

[Helical-Scan Digital Computer Tape Cartridge, 3.81 mm \(0.150 in\) - Digital Data Storage \(DDS\) Recorded Format for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 2041992[S2007]

[Recorded Magnetic Tape Cartridge for Information Interchange 15 &18 Tracks, 0.250 in \(6.30 mm\), 10 000 bpi \(394 bpmm\), Streaming Mode Group Code Recording](#)

Committee: INCITS/INCITS

INCITS 2051992[S2007]

[Helical-Scan Digital Computer Tape Cartridge, 3.81 mm \(0.150 in\), DATA/DAT Recorded Format for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 207-1991[R2007]

[Alternate Keyboard Arrangement for Alphanumeric Machines](#)

Committee: INCITS/V1

INCITS 209-1992[S2007]

[Information Systems - Optical Character Recognition \(OCR\) Matrix Character Sets for OCR-MB](#)

Committee: INCITS/INCITS

INCITS 21-1967[S2007]

[Rectangular Holes in Twelve-Row Punched Cards](#)

Committee: INCITS/INCITS

INCITS 210-1998[R2008]

[Information technology - High-Performance Parallel Interface - Framing Protocol \(HIPPI-FP\) \(Revision of X3.210:1992\)](#)

Committee: INCITS/T11

INCITS 212-1992[R2007]

[130 mm Rewritable Optical Disk Cartridge for Information Interchange](#)

Committee: INCITS/B11

INCITS 213-1994[S2009]

[86 mm Disk, 90 mm case, Rewritable Optical Disk Cartridge Using Discrete Block Format \(DBF\)](#)

Committee: INCITS/B11

INCITS 214-1992[R2007]

[130mm Optical Disk Cartridge Using Sampled Servo and 4/15 Modulation](#)

Committee: INCITS/B11

INCITS 215-1994[r2011]

[Programming Language Forth](#)

Committee: INCITS/PL22

INCITS 218-2000[R2010]

[Information technology - High-Performance Parallel Interface - Encapsulation of ISO 8802-2 \(IEEE Std 802.2\) Logical Link Control Protocol Data Units \(HIPPI-LE\) Revised](#)

Committee: INCITS/T11

INCITS 22-1983[S2011]

[Recorded Magnetic Tape for Information Interchange \(800 CPI, NRZI\)](#)

Committee: INCITS/INCITS

INCITS 220-1992[R2007]

[130 mm Optical Disk Cartridges of the Write-Once, Read Multiple \(WORM\) Type, Using the Magnetic-Optic Effect, for Write Once, Read Multiple Functionality \(Fast-track by ECMA\)](#)

Committee: INCITS/B11

INCITS 222-1997[R2007]

[Information technology - High-Performance Parallel Interface - Switch Control \(HIPPI-SC\)](#)

Committee: INCITS/T11

INCITS 223-1995[S2011]

[Data Compression Algorithm - Adaptive Coding with Embedded Dictionary \(DCLZ Algorithm\) for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 224-1994[S2008]

[Extended Tape Format for Information Interchange, \(18-Track, Parallel, 12.65 mm \(0.50 in\), 1491 cpmm \(37 871 cpi\), Group-Coded Recording\)](#)

Committee: INCITS/INCITS

INCITS 225-1994[S2008]

[Compaction Algorithm, Binary Arithmetic Coding](#)

Committee: INCITS/INCITS

INCITS 226-1994[S2008]

[Programming Language Common Lisp](#)

Committee: INCITS/INCITS

INCITS 227-1996[S2011]

[Recorded Magnetic Tape Mini-Cartridge for Information Interchange - Serial, 0.250 in \(6.30 mm\) 20 Tracks, 10 000 bpi \(394 bpmm\) and 28-Track, 14 700 bpi \(579 bpmm\), MFM Encoded](#)

Committee: INCITS/INCITS

INCITS 228-1993[S2008]

[X.25 Data Transfer Phase \(DTP\) Procedures for Operation with Frame Relay](#)

Committee: INCITS/INCITS

INCITS 229-1994[S2008]

[Fiber Distributed Data Interface \(FDDI\) Station Management \(SMT\)](#)

Committee: INCITS/INCITS

INCITS 231-1994[S2008]

[Fiber Distributed Data Interface, \(FDDI\) Physical Layer Protocol - 2 \(PHY-2\)](#)

Committee: INCITS/INCITS

INCITS 232-1996[S2011]

[SCSI-2 Common Access Method Transport and SCSI Interface Module](#)

Committee: INCITS/T10

INCITS 234-1993[S2008]

[Test Methods for Media Characteristics of 130 MM Rewritable Optical Digital Data Disks with Continuous Composite Servo \(CCS\)](#)

Committee: INCITS/B11

INCITS 235-1995[S2010]

[Unrecorded Magnetic Tape Cartridge for Information Interchange - 0.25 \(6.30 mm\), 10000 -12500 ftpi, \(394 - 492 ftpmm\) Coercivity 550 oersteds \(44000 amperes/meter\) \(Types 6150, 6250, 6037\)](#)

Committee: INCITS/INCITS

INCITS 237-1995[S2011]

[Fiber Distributed Data Interface \(FDDI\) Low-Cost Fiber Physical Layer - Medium Dependent \(LCF-PMD\)](#)

Committee: INCITS/INCITS

INCITS 238-1994[S2008]

[Programming Language PL/B](#)

Committee: INCITS/PL22

INCITS 239-1994[S2008]

[FDDI - Media Access Control-2 \(MAC-2\)](#)

Committee: INCITS/INCITS

INCITS 241-1994[S2008]

[Data Compression Method, Adaptive Coding with Sliding Window for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 242-1994[S2008]

[Magnetic Tape Cartridge for Information Interchange, .50 in \(12.65 mm\) Serial Serpentine, 48-Track, 42 500 bpi \(1 673 bpmm\), DLT1 Format](#)

Committee: INCITS/INCITS

INCITS 243-1996[S2011]

[Serial Magnetic Tape Cartridge for Information Interchange, 26 Tracks, 0.250 in \(6.35 mm\), 16 000 bpi \(630 bpmm\), Streaming Mode, Group Code Recording](#)

Committee: INCITS/INCITS

INCITS 244-1995[S2010]

[Test Methods for Media Characteristics - 90 mm Rewritable/Read-Only Optical Digital Data Disks with Continuous Composite Servo \(CCS\)](#)

Committee: INCITS/B11

INCITS 245-1995[S2011]

[Abstract Test Suite for FDDI Media Access Control Conformance Testing \(FDDI MAC ATS\)](#)

Committee: INCITS/INCITS

INCITS 246-1994[S2009]

[Test Methods for Media Characteristics of 90 mm Rewritable Optical Digital Data Disks with Discrete Block Format \(DBF\)](#)

Committee: INCITS/B11

INCITS 248-1996[S2011]

[Abstract Test Suite for FDDI Physical Layer Protocol Conformance Testing \(FDDI PHY ATS\)](#)

Committee: INCITS/INCITS

INCITS 249-1995[S2010]

[Unrecorded Magnetic Tape Cartridge for Information Interchange, 0.25 in \(6.35 mm\), 10 000 - 14 700 ftpi \(394 579 ftpmm\), Coercivity 550 oersteds \(44 000 amperes/meter\), \(Types 2000, 2060, 2080, 2120\)](#)

Committee: INCITS/INCITS

INCITS 250-1996[S2011]

[Recorded Magnetic Tape Mini-Cartridge for Information Interchange, 0.250 in \(630 mm\)12 and 24 Track,10000 bpi \(394 bpmm\) GCR](#)

Committee: INCITS/INCITS

INCITS 251-1995[S2010]

[Unrecorded Magnetic Tape Cartridge for Information Interchange, 0.25 in \(6.35 mm\), 20 000 ftpi \(787 ftpmm\), Coercivity 550 oersteds \(44 000 amperes/meter\), \(Types 6320, 6525, 6080, 6081\)](#)

Committee: INCITS/INCITS

INCITS 255-1996[S2011]

[Abstract Test Suite for FDDI Physical Medium Dependent Conformance Testing](#)

Committee: INCITS/INCITS

INCITS 256-2007[]

[Information technology - Radio Frequency Identification \(RFID\)](#)

Committee: INCITS/INCITS

INCITS 257-1997[R2007]

[FDDI Station Management Common Services \(SMT-2-CS\)](#)

Committee: INCITS/INCITS

INCITS 258-1997[R2007]

[FDDI Station Management Isochronous Services \(SMT-2-IS\)](#)

Committee: INCITS/INCITS

INCITS 259-1997[R2007]

[FDDI Station Management Packet Services \(SMT-2-PS\)](#)

Committee: INCITS/INCITS

INCITS 261-1996[S2011]

[Extended Magnetic Tape Format for Information Interchange 36-track, Parallel Serpentine, 12.65 mm \(0.50 in\), 1491 cpmm \(37 871 cpi\) Group-Coded Recording](#)

Committee: INCITS/INCITS

INCITS 262-1995[S2010]

[Protocol Implementation Conformance Statement Proforma for FDDI \(FDDI CT-PICS\)](#)

Committee: INCITS/INCITS

INCITS 263-1995[S2010]

[Fiber Distributed Data interface \(FDDI\) Twisted Pair - Physical Medium Dependent \(TP-PMD\)](#)

Committee: INCITS/INCITS

INCITS 264-1996[S2011]

[Unrecorded Helical-Scan Digital Computer Tape Cartridge for Information Interchange, 19 mm \(0.748 in\) Type D-1](#)

Committee: INCITS/INCITS

INCITS 265-1995[S2011]

[Unrecorded Magnetic Tape Cartridge for Information Interchange, 36-Track, Parallel Serpentine, Extended Length, 12.57 mm \(0.495 in\), 1944 ftpmm \(49 378 ftpi\), Group-Coded Recording](#)

Committee: INCITS/INCITS

INCITS 266-1996[S2011]

[Magnetic Tape Cartridge for Information Interchange, .50 in \(12.65 mm\), Serial Serpentine, 112-Track, 42 500 bpi \(1673 bpmm\) \(DLT2 Format\)](#)

Committee: INCITS/INCITS

INCITS 267-1996[S2011]

[Helical-Scan Digital Computer Tape Cartridge, 12.65 mm \(0.498 in\) for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 269-1996[S2011]

[SCSI-3 Fibre Channel Protocol \(FCP\)](#)

Committee: INCITS/T10

INCITS 27-1987[S2008]

[Magnetic Tape Labels and File Structure for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 273-1997[R2007]

[Case Tool Integration Messages \(CTIM\)](#)

Committee: INCITS/INCITS

INCITS 274-1996[S2008]

[Programming Language REXX](#)

Committee: INCITS/PL22

INCITS 274:1996/AM1-2000[S2008]

[Programming Language REXX, Amendments, Errata - Amendment 1](#)

Committee: INCITS/PL22

INCITS 278-1997[R2007]

[FDDI PHY Repeater \(FDDI PHY RPTR\)](#)

Committee: INCITS/INCITS

INCITS 280-1996[S2011]

[Data Compression Algorithm Adaptive Lossless Data Compression \(ALDC\), Algorithm for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 282-1996[S2011]

[Magnetic Tape Cartridge for Information Interchange, 0.50 in \(12.65 mm\) Serial Serpentine, 128-Track, 62 500 bpi \(2460 bpm\), DLT3 Format](#)

Committee: INCITS/INCITS

INCITS 284-2011[]

[Information technology - Identification Cards- Health Care Identification Cards \(Revision of INCITS 284:1997\)](#)

Committee: INCITS/B10

INCITS 286-1997[R2007]

[Abstract Test Suite for FDDI Station Management Conformance Testing \(FDDI SMT ATS\)](#)

Committee: INCITS/INCITS

INCITS 29-1971[S2010]

[Specifications for Properties of Unpunched Oiled Paper Perforator Tape](#)

Committee: INCITS/INCITS

INCITS 293-1996[S2011]

[Serial Storage Architecture - Physical Layer 1 \(SSA-PH1\)](#)

Committee: INCITS/T10

INCITS 294-1996[S2011]

[Serial Storage Architecture - SCSI-2 Protocol \(SSA-S2P\)](#)

Committee: INCITS/T10

INCITS 295-1996[S2011]

[Serial Storage Architecture - Transport Layer-1 \(SSA-TL1\)](#)

Committee: INCITS/T10

INCITS 296-1997[R2007]

[Single Byte Command Code Sets Connection \(SBCON\)](#)

Committee: INCITS/T11

INCITS 30-1998[R2008]

[Representation of Calendar Date and Ordinal Date for Information Interchange](#)

Committee: INCITS/DM32.8

INCITS 300-1997[R2007]

[High-Performance Parallel Interface - Serial Specification \(HIPPI-Serial\)](#)

Committee: INCITS/T11

INCITS 302-1998[R2008]

[SCSI-3 Parallel Interface - 2 \(SPI-2\)](#)

Committee: INCITS/T10

INCITS 303-1998[R2008]

[Fibre Channel Physical and Signaling Interface-3 \(FC-PH-3\)](#)

Committee: INCITS/T11

INCITS 305-1998[R2008]

[SCSI Enclosure Services \(SES\)](#)

Committee: INCITS/T10

INCITS 306-1998[R2008]

[SCSI-3 Block Commands \(SBC\)](#)

Committee: INCITS/T10

INCITS 307-1997[R2007]

[Serial Storage Architecture - Physical Layer 2 \(SSA-PH2\)](#)

Committee: INCITS/T10

INCITS 308-1997[R2007]

[Serial Storage Architecture - Transport Layer 2 \(SSA-TL2\)](#)

Committee: INCITS/T10

INCITS 309-1997[R2007]

[Serial Storage Architecture - SCSI-3 Protocol \(SSA-S3P\)](#)

Committee: INCITS/T10

INCITS 31-2009[]

[Information technology - Codes for the Identification of Counties and Equivalent Areas of the United States, Puerto Rico, and the Insular Areas](#)

Committee: INCITS/L1

INCITS 310-1998[R2008]

[Information technology - Representation of Time for Information Interchange](#)

Committee: INCITS/DM32.8

INCITS 311-1998[R2008]

[Magnetic Tape Format for Information Interchange, 128-Track, Parallel Serpentine, 12.65 mm \(1/2 in\), 3400 bps \(86 360 bpi\) Run Length Limited Recording](#)

Committee: INCITS/INCITS

INCITS 312-1998[R2008]

[Magnetic Tape Cartridge 0.50 in \(12.65 mm\), Serial Serpentine, 112-Track, 81 600 bpi \(3213 bps\), DLT4 Format](#)

Committee: INCITS/INCITS

INCITS 314-1998[R2008]

[SCSI-3 Medium Changer Commands \(SMC\)](#)

Committee: INCITS/T10

INCITS 315-1998[R2008]

[Unrecorded magnetic tape cartridge for information interchange, 12.65 mm \(0.498 in\), 128-track, parallel serpentine, 2550 fpm \(64 770 fpi\)](#)

Committee: INCITS/INCITS

INCITS 317-1998[R2008]

[AT Attachment + Packet Interface \(ATA/ATAPI-4\)](#)

Committee: INCITS/T13

INCITS 317:1998/Erratum 1-1999[]

[Erratum to INCITS 317:1998, AT Attachment + Packet Interface \(ATA/ATAPI-4\)](#)

Committee: INCITS/T13

INCITS 319-1998[R2007]

[Programming Language Smalltalk](#)

Committee: INCITS/PL22

INCITS 320-1998[R2008]

[Information technology - Spatial Data Transfer](#)

Committee: INCITS/L1

INCITS 322-2008[]

[Information technology - Card Durability Test Methods Update \(Revision of INCITS 322:2002\)](#)

Committee: INCITS/B10.11

INCITS 323-1998[R2008]

[Information technology - High-Performance Parallel Interface - 6400 Mbit/s Physical Layer \(HIPPI-6400-PH\)](#)

Committee: INCITS/T11

INCITS 323:1998/AM1-2001[R2011]

[Information Technology - High-Performance Parallel Interface - 6400 Mbit/s Physical Layer \(HIPPI-6400-PH\) Amendment 1](#)

Committee: INCITS/T11

INCITS 325-1998[R2008]

[SCSI-3 Serial Bus Protocol 2 \(SBP-2\)](#)

Committee: INCITS/T10

INCITS 328-2000[R2010]

[Helical-Scan Digital Computer Tape Cartridge, 19 mm \(0.748 in\) Type DD-2](#)

Committee: INCITS/INCITS

INCITS 329-2000[R2010]

[Magnetic Tape Cartridge, 0.50 in \(12.65 mm\), Serial Serpentine, 208-Track, 85 940 bpi \(3383 bpmm\), DLT 5 Format](#)

Committee: INCITS/INCITS

INCITS 330-2000[R2010]

[Reduced Block Commands \(RBC\)](#)

Committee: INCITS/T10

INCITS 330:2000/AM 1-2003[R2008]

[Information Technology - SCSI - Reduced Block Command Set \(RBC\) - Amendment 1](#)

Committee: INCITS/T10

INCITS 332-1999[R2009]

[Information technology - Fibre Channel Arbitrated Loop \(FC-AL-2\)](#)

Committee: INCITS/T11.3

INCITS 332:1999/AM 1-2003[R2008]

[Information technology - Fibre Channel Arbitrated Loop \(FC-AL-2\) Amendment 1 \(Supplement to INCITS 332:1999\)](#)

Committee: INCITS/T11.3

INCITS 332:1999/AM 2-2006[R2011]

[Information technology - Fibre Channel Arbitrated Loop 2nd Generation \(FC-AL-2\) Amendment 2](#)

Committee: INCITS/T11.3

INCITS 333-2000[R2010]

[SCSI Multi-Media Commands - 2 \(MMC-2\)](#)

Committee: INCITS/T10

INCITS 334-2000[R2010]

[Magnetic Tape Cartridge for Information Interchange, 0.50 in \(12.65 mm\) Serial Serpentine 128-Track, 62 500 bpi \(2460 bpm\) DLT3XT Format](#)

Committee: INCITS/INCITS

INCITS 335-2000[R2010]

[Information technology - Small Computer System Interface \(SCSI-3\) Stream Commands \(SSC\)](#)

Committee: INCITS/T10

INCITS 337-2000[R2010]

[High-Performance Parallel Interface - Scheduled Transfers \(HIPPI-ST\)](#)

Committee: INCITS/T11

INCITS 338-2003[R2008]

[IT - High-Performance Parallel Interface - 6400 Mbit/s Optical Specifications \(HIPPI-6400-OPT\)](#)

Committee: INCITS/T11

INCITS 34-1972[S2010]

[Interchange Rolls of Perforated Tape for Information Interchange](#)

Committee: INCITS/INCITS

INCITS 340-2000[R2010]

[Information Technology - AT Attachment with Packet Interface - 5 \(ATA/ATAPI-5\)](#)

Committee: INCITS/T13

INCITS 341-2000[R2010]

[25.4 mm \(1 in\) Type DCRsi Recorded Instrumentation - Digital Cartridge Tape Format](#)

Committee: INCITS/INCITS

INCITS 344-2001[S2011]

[Information Technology - 12.65 mm wide Magnetic Tape Format for Information Interchange - Helical Scan Recording - Recorded Instrumentation Format](#)

Committee: INCITS/INCITS

INCITS 345-2001[S2011]

[Magnetic Tape Cartridge for Information Interchange, 0.5. in \(12.65 mm\) Serial Serpentine, 208-Track, 98 250 BPI \(3868 BPMM\), DLT 6 Format](#)

Committee: INCITS/INCITS

INCITS 350-2003[R2008]

[SCSI Fibre Channel Protocol - 2 \(FCP-2\)](#)

Committee: INCITS/T10

INCITS 356-2002[R2007]

[Information Technology - Fibre Channel Audio-Video \(FC-AV\)](#)

Committee: INCITS/T11.3

INCITS 357-2002[R2007]

[Information Technology - Fibre Channel Virtual Interface Architecture mapping \(FC-VI\)](#)

Committee: INCITS/T11.3

INCITS 358-2002[R2007]

[Information technology - BioAPI Specification \(change control held by the BioAPI Consortium\)](#)

Committee: INCITS/M1.2

INCITS 359-2004[R2009]

[Information technology - Role Based Access Control \(RBAC\)](#)

Committee: INCITS/CS1

INCITS 360-2002[R2007]

[Information technology - Multimedia Command Set-3 \(MMC-3\)](#)

Committee: INCITS/T10

INCITS 361-2002[R2007]

[Information Technology - AT Attachment with Packet Interface-6 \(ATA/ATAPI-6\)](#)

Committee: INCITS/T13

INCITS 361:2002/Erratum 1-2004[R2009]

[Erratum to INCITS 361:2002, Information Technology AT Attachment with Packet Interface 6 \(ATA/ATAPI-6\)](#)

Committee: INCITS/T13

INCITS 364-2003[R2008]

[Information Technology - Fibre Channel -10 Gigabit \(10GFC\)](#)

Committee: INCITS/T11.2

INCITS 364:2003/AM 1-2007[]

[Information technology - Fibre Channel - 10 Gigabit AMENDMENT 1 \(10GFC/AM1\)](#)

Committee: INCITS/T11.2

INCITS 365-2002[R2007]

[Information technology - SCSI RDMA \(SRP\)](#)

Committee: INCITS/T10

INCITS 366-2003[R2008]

[SCSI Architecture Model-2 \(SAM-2\)](#)

Committee: INCITS/T10

INCITS 368-2003[R2008]

[Information Technology - SCSI Passive Interconnect Performance \(PIP\)](#)

Committee: INCITS/T10

INCITS 369-2003[R2008]

[Information technology, SCSI Signal Modeling \(SSM-2\)](#)

Committee: INCITS/T10

INCITS 37-1999[R2009]

[Information Systems - Programming Language APT: Processor Input Language and System-Neutral CLFILE \(Revision of X3.37:1995\)](#)

Committee: INCITS/PL22

INCITS 370-2004[R2009]

[Information technology - ATA/ATAPI Host Adapters Standard \(ATA - Adapter\)](#)

Committee: INCITS/T13

INCITS 371.1-2003[R2008]

[Information technology - Real Time Locating Systems \(RTLS\) Part 1: 2.4 GHz Air Interface Protocol](#)

Committee: INCITS/INCITS

INCITS 371.2-2003[R2008]

[Information technology - Real Time Locating Systems \(RTLS\) Part 2: 433 MHz Air Interface Protocol](#)

Committee: INCITS/INCITS

INCITS 371.3-2003[R2008]

[Information technology - Real Time Locating Systems \(RTLS\) Part 3: Application Programming Interface](#)

Committee: INCITS/INCITS

INCITS 373-2003[R2008]

[Information technology - Fibre Channel Framing and Signaling Interface \(FC-FS\)](#)

Committee: INCITS/T11.3

INCITS 374-2003[R2008]

[Information technology - Fibre Channel Single - Byte Command Set-3 \(FC-SB-3\)](#)

Committee: INCITS/T11.3

INCITS 374:2003/AM 1-2007[]

[Information technology - Single-Byte Command Set - 3 \(FC-SB-3\) Amendment 1 \(FC-SB-3/AM1\)](#)

Committee: INCITS/T11

INCITS 375-2004[R2008]

[Information technology - Serial Bus Protocol 3 \(SBP-3\)](#)

Committee: INCITS/T10

INCITS 377-2009[]

[Information technology - Finger Pattern Data Interchange Format \(Revision of INCITS 377:2004\)](#)

Committee: INCITS/M1.3

INCITS 378-2009[]

[Information technology Finger Minutiae Format for Data Interchange \(Revision of INCITS 378:2004\)](#)

Committee: INCITS/M1.3

INCITS 38-2009[]

[Information technology - Codes for the Identification of the States and Equivalent Areas within the United States, Puerto Rico, and the Insular Areas](#)

Committee: INCITS/L1

INCITS 380-2003[R2008]

[Information technology - Small Computer System Interface \(SCSI\) -- SCSI Stream Commands -2 \(SSC-2\) -- Part 332](#)

Committee: INCITS/T10

INCITS 381-2009[]

[Information technology - Finger Image Based Data Interchange Format](#)

Committee: INCITS/M1.3

INCITS 382-2004[R2008]

[Information technology - SCSI Media Changer Command Set version 2 \(SMC-2\)](#)

Committee: INCITS/T10

INCITS 383-2008[]

[Information technology - Biometric Profile - Interoperability and Data Interchange - Biometric-Based Verification and Identification of Transportation Workers \(Revision of INCITS 383:2004\)](#)

Committee: INCITS/M1.2

INCITS 385-2004[R2009]

[Information technology - Face Recognition Format for Data Interchange](#)

Committee: INCITS/M1.3

INCITS 386-2004[R2009]

[Information Technology - Host Bus Adapter Application Programming Interface \(FC-HBA\)](#)

Committee: INCITS/T11

INCITS 388-2011[]

[Information technology - Storage Management](#)

Committee: INCITS/T11

INCITS 39-1986[S2007]

[Recorded Magnetic Tape for Information Interchange \(1600 CPI, PE\)](#)

Committee: INCITS/INCITS

INCITS 397-2005[R2010]

[Information Technology - AT Attachment with Packet Interface-7 \(ATA/ATAPI-7\)](#)

Committee: INCITS/T13

INCITS 397:2005/AM 1-2007[]

[Information technology - AT Attachment with Packet Interface-7 Amendment 1 \(ATA/ATAPI-7/AM 1\)](#)

Committee: INCITS/T13

INCITS 398-2008[]

[Information technology - Common Biometric Exchange Formats Framework \(CBEFF\) \(Revision of INCITS 398:2005\)](#)

Committee: INCITS/M1.2

INCITS 399-2004[R2009]

[Information technology - Fibre Channel Switch Application Programming Interface \(FC-SWAPI\)](#)

Committee: INCITS/T11

INCITS 4-1986[R2007]

[Information Processing - Coded character Sets - 7-Bit American National Standard Code for Information Interchange \(7-Bit ASCII\)](#)

Committee: INCITS/L2

INCITS 40-1993[S2008]

[Unrecorded Magnetic Tape for Information Interchange \(9-Track, 800 CPI, NRZI; 1600 CPI, PE; and 6250 CPI, GCR\)](#)

Committee: INCITS/INCITS

INCITS 400-2004[R2008]

[Information technology - Object Based Storage Devices Command Set \(OSD\)](#)

Committee: INCITS/T10

INCITS 401-2005[R2010]

[Information technology - MultiMedia Command Set - 4 \(MMC-4\) Command Set](#)

Committee: INCITS/T10

INCITS 403-2005[R2010]

[Information technology, Automation/Drive Interface - Commands \(ADC\)](#)

Committee: INCITS/T10

INCITS 404-2006[R2011]

[Information technology - Fibre Channel Physical Interfaces - 2 \(FC-PI-2\)](#)

Committee: INCITS/T11.2

INCITS 405-2005[R2010]

[Information technology - SCSI Block Commands - 2 \(SBC-2\)](#)

Committee: INCITS/T10

INCITS 406-2005[R2010]

[Information technology, Automation/Drive Interface - Transport Protocol \(ADT\)](#)

Committee: INCITS/T10

INCITS 407-2005[R2010]

[Information technology - BIOS Enhanced Disk Drive Services - 3 \(EDD-3\)](#)

Committee: INCITS/T13

INCITS 407:2005/Erratum 1-2009[]

[Information technology - BIOS Enhanced Disk Drive Services - 3 \(EDD-3\) Erratum](#)

Committee: INCITS/T13

INCITS 409.4-2006[R2011]

[Information technology - Biometric Performance Testing and Reporting - Part 4: Operational Testing Methodologies](#)

Committee: INCITS/M1.5

INCITS 409.5-2011[]

[Information technology - Biometric Performance Testing and Reporting - Part 5: Framework for Testing and Evaluation of Biometric System\(s\) for Access Control](#)

Committee: INCITS/M1.5

INCITS 410-2006[R2011]

[Information technology - Identification cards - Limited Use \(LU\), Proximity Integrated Circuit Card \(PICC\)](#)

Committee: INCITS/B10

INCITS 411-2007[]

[Information technology - iSCSI Management API, Version 1.1.6](#)

Committee: INCITS/T11

INCITS 412-2006[R2011]

[Information technology - SNIA Multipath Management API Specification, Version 1.0.1](#)

Committee: INCITS/T11

INCITS 413-2007[]

[Information technology - RapidIO\(TM\) Interconnect Specification \(version 1.3\)](#)

Committee: INCITS/T11

INCITS 414-2006[R2011]

[Information technology - Fibre Channel Backbone - Generation 3 \(FC-BB-3\)](#)

Committee: INCITS/T11.3

INCITS 415-2006[R2012]

[Information technology - Homeland Security Mapping Standard - Point Symbology for Emergency Management](#)

Committee: INCITS/L1

INCITS 416-2006[R2011]

[Information technology - SCSI Fibre Channel Protocol - 3 \(FCP-3\)](#)

Committee: INCITS/T10

INCITS 417-2006[R2011]

[Information technology - Serial Attached SCSI-2 \(SAS-1.1\)](#)

Committee: INCITS/T10

INCITS 418-2006[R2011]

[Information technology - Switch Fabric - Generation 4 \(FC-SW-4\)](#)

Committee: INCITS/T11.3

INCITS 419-2008[]

[Information technology - Fibre Channel Backbone - 4 \(FC-BB-4\)](#)

Committee: INCITS/T11.3

INCITS 422-2007[]

[Information technology - Application Profile for Commercial Biometric Physical Access Control](#)

Committee: INCITS/M1.2

INCITS 423.1-2008[]

[Information technology - Conformance Testing Methodology Standard for Biometric Data Interchange Format Standards - Part 1: Generalized Conformance Testing Methodology](#)

Committee: INCITS/M1.3

INCITS 423.2-2008[]

[Information technology - Conformance Testing Methodology Standard for Biometric Data Interchange Format Standards - Part 2: Conformance Testing Methodology for INCITS 378-2004, Finger Minutiae Format for Data Interchange](#)

Committee: INCITS/M1.3

INCITS 423.3-2009[]

[Information technology - Conformance Testing Methodology Standard for Biometric Data Interchange Format Standards - Part 3: Conformance Testing Methodology for INCITS 377:2004, Finger Pattern Data Interchange Format](#)

Committee: INCITS/M1.3

INCITS 423.4-2009[]

[Information technology - Conformance Testing Methodology Standard for Biometric Data Interchange Format Standards - Part 4: Conformance Testing Methodology for INCITS 381: Finger Image Data Interchange Format](#)

Committee: INCITS/M1.3

INCITS 424-2007[]

[Information technology - Fibre Channel Framing and Signaling - 2 \(FC-FS-2\)](#)

Committee: INCITS/T11.3

INCITS 424:2007/AM 1-2007[]

[Information technology - Fibre Channel - Framing and Signaling - 2 AMENDMENT 1 \(FC-FS-2/AM1\)](#)

Committee: INCITS/T11.3

INCITS 426-2007[]

[Information technology - Fibre Channel Security Protocols \(FC-SP\)](#)

Committee: INCITS/T11.3

INCITS 427-2007[]

[Information technology - Fibre Channel Generic Services-5 \(FC-GS-5\)](#)

Committee: INCITS/T11.3

INCITS 428-2007[]

[Information technology - Storage Management - Host Bus Adapter Application Programming Interface \(SM-HBA\)](#)

Committee: INCITS/T11

INCITS 429-2008[]

[Information technology - Conformance Testing Methodology for ANSI INCITS 358-2002, BioAPI Specification](#)

Committee: INCITS/M1.2

INCITS 430-2007[]

[Information technology - MultiMedia Command Set version 5 \(MMC-5\)](#)

Committee: INCITS/T10

INCITS 431-2007[]

[Information technology - SCSI/ATA Translation \(SAT\)](#)

Committee: INCITS/T10

INCITS 432-2007[]

[Information technology - Fabric Application Interface Standard \(FAIS\)](#)

Committee: INCITS/T11

INCITS 433-2007[]

[Information technology - Fibre Channel - Link Services \(FC-LS\)](#)

Committee: INCITS/T11.3

INCITS 434-2007[]

[Information technology - Tenprint capture using BioAPI](#)

Committee: INCITS/M1.2

INCITS 435-2007[]

[Information technology - Fibre Channel BaseT \(FC-BaseT\)](#)

Committee: INCITS/T11

INCITS 437-2008[]

[Information technology - Fibre Channel SATA Tunneling Protocol \(FC-SATA\)](#)

Committee: INCITS/T11.3

INCITS 438-2008[]

[Information technology - Server Management Command Line Protocol \(SM CLP\) Specification](#)

Committee: INCITS/T11

INCITS 440-2008[]

[Information technology - Card Durability / Service Life](#)

Committee: INCITS/B10.11

INCITS 441-2008[]

[Information technology - Automation/Drive Interface - Commands-2 \(ADC-2\)](#)

Committee: INCITS/T10

INCITS 442-2010[]

[Information technology - Biometric Identity Assurance Services \(BIAS\)](#)

Committee: INCITS/M1.2

INCITS 443-2008[]

[Information technology - Fibre Channel Storage Network PING \(SNPing\)](#)

Committee: INCITS/T11

INCITS 446-2008[]

[Information technology - Identifying Attributes for Named Physical and Cultural Geographic Features \(Except Roads and Highways\) of the United States, Its Territories, Outlying Areas, and Freely Associated Areas, and the Waters of the Same to the Limit...](#)

Committee: INCITS/L1

INCITS 447-2008[]

[Information technology - SCSI Architecture Model - 4 \(SAM-4\)](#)

Committee: INCITS/T10

INCITS 448-2008[]

[Information technology - SCSI Enclosure Services - 2 \(SES-2\)](#)

Committee: INCITS/T10

INCITS 449-2008[]

[Information technology - Fabric Application Interface Standard - 2 \(FAIS-2\)](#)

Committee: INCITS/T11

INCITS 45-1982[S2007]

[Information Systems - Character Set for Handprinting](#)

Committee: INCITS/INCITS

INCITS 450-2009[]

[Information technology - Fibre Channel Physical Interfaces - 4 \(FC-PI-4\)](#)

Committee: INCITS/T11.2

INCITS 451-2008[]

[Information technology - AT Attachment-8 ATA/ATAPI Architecture Model \(ATA8-AAM\)](#)

Committee: INCITS/T13

INCITS 452-2009[]

[Information technology - AT Attachment-8 ATA/ATAPI Command Set \(ATA8-ACS\)](#)

Committee: INCITS/T13

INCITS 452:2009/AM 1-2010[]

[Information technology - AT Attachment-8 ATA/ATAPI Command Set \(ATA8-ACS\) Amendment 1](#)

Committee: INCITS/T13

INCITS 453-2009[]

[Information technology - North American Profile of ISO 19115:2003 - Geographic information - Metadata \(NAP - Metadata\)](#)

Committee: INCITS/L1

INCITS 454-2009[]

[Information technology - Codes for the Identification of Metropolitan and Micropolitan Statistical Areas and Related Statistical Areas of the United States and Puerto Rico](#)

Committee: INCITS/L1

INCITS 455-2009[]

[Information technology - Codes for the Identification of Congressional Districts and Equivalent Areas of the United States, Puerto Rico, and the Insular Areas](#)

Committee: INCITS/L1

INCITS 456-2010[]

[Information technology - Speaker Recognition Format for Raw Data Interchange \(SIVR-1\)](#)

Committee: INCITS/M1.3

INCITS 457-2010[]

[Information technology - Serial Attached SCSI 2 \(SAS-2\)](#)

Committee: INCITS/T10

INCITS 458-2011[]

[Information technology -SCSI Object-Based Storage Device Commands-2 \(OSD-2\)](#)

Committee: INCITS/T10

INCITS 459-2011[]

[Information technology - Requirements for the Implementation and Interoperability of Role Based Access Control \(RBAC\)](#)

Committee: INCITS/CS1

INCITS 46-1974[S2007]

[Unrecorded Magnetic Six-Disk Pack \(General, Physical, and Magnetic Characteristics\)](#)

Committee: INCITS/INCITS

INCITS 461-2010[]

[Information technology - Fibre Channel - Switch Fabric - Generation 5 \(FC-SW-5\)](#)

Committee: INCITS/T11.3

INCITS 462-2010[]

[Information technology - Fibre Channel - Backbone - 5 \(FC-BB-5\)](#)

Committee: INCITS/T11.3

INCITS 463-2010[]

[Information technology - Fibre Channel - Generic Services - 6 \(FC-GS-6\)](#)

Committee: INCITS/T11.3

INCITS 464-2010[]

[Information technology - Information Management - Extensible Access Method \(XAM TM\)](#)

Committee: INCITS/T11

INCITS 469-2010[]

[Information technology - Open Virtualization Format \(OVF\) specification](#)

Committee: INCITS/DAPS38

INCITS 474-2011[]

[Information technology - Biometric Application Programming Interface - Java \(BioAPI Java\)](#)

Committee: INCITS/M1.2

INCITS 475-2011[]

[Information technology - Fibre Channel - Inter-Fabric Routing \(FC-IFR\)](#)

Committee: INCITS/T11.3

INCITS 477-2011[]

[Information technology - Fibre Channel - Link Services - 2 \(FC-LS-2\)](#)

Committee: INCITS/T11.3

INCITS 479-2011[]

[Information technology - Fibre Channel - Physical Interfaces - 5 \(FC-PI-5\)](#)

Committee: INCITS/T11.2

INCITS 48-1986[S2007]

[Magnetic Tape Cassette for Information Interchange \(3.81 mm, 0.150 inch\) Tape at 32 bpm \(800 BPI\), Phase Encoded](#)

Committee: INCITS/INCITS

INCITS 48:1986/TC-1-1995[S2007]

[ANSI X3.48:1986 TECHNICAL CORRIGENDUM 1](#)

Committee: INCITS/INCITS

INCITS 480-2011[]

[Information technology - BIOS Enhanced Disk Drive Services - 4 \(EDD-4\)](#)

Committee: INCITS/T13

INCITS 49-1975[S2007]

[Character Set for Optical Character Recognition \(OCR-B\)](#)

Committee: INCITS/INCITS

INCITS 52-1976[S2007]

[Unrecorded Single Disk Cartridge \(Front Loading, 2200 BPI\), General, Physical and Magnetic Requirements](#)

Committee: INCITS/INCITS

INCITS 53-1976[S2008]

[Programming Language PL/I](#)

Committee: INCITS/PL22

INCITS 53:1976/TIB-1-1983[]

[PL/I Information Bulletin](#)

Committee: INCITS/PL22

INCITS 54-1986[S2007]

[Recorded Magnetic Tape for Information Interchange \(6250 CPI, Group-Coded Recording\)](#)

Committee: INCITS/INCITS

INCITS 55-1992[S2007]

[Unrecorded Magnetic Tape Cartridge for Information Interchange, 0.250 Inch \(6.30 mm\), 1600 BPI \(63 bpm\), Phase Encoded](#)

Committee: INCITS/INCITS

INCITS 56-1986[S2007]

[Recorded Magnetic Tape Cartridge for Info. Interchange, 4-Track, 0.250 Inch \(6.30 mm\), 1600 bpi, \(63 bpm\), Phase Encoded](#)

Committee: INCITS/INCITS

INCITS 58-1977[S2007]

[Unrecorded Magnetic Eleven-Disk Pack, General Physical and Magnetic Characteristics](#)

Committee: INCITS/INCITS

INCITS 61-1986[R2007]

[Representation of Geographic Point Locations for Information Interchange](#)

Committee: INCITS/L1

INCITS 62-1987[S2007]

[Information Systems - Optical Character Recognition \(OCR\) - Paper used in OCR Systems](#)

Committee: INCITS/INCITS

INCITS 62:1987/AM 1-1999[S2007]

[Information Systems - Optical Character Recognition \(OCR\) - Paper used in OCR Systems - Amendment 1](#)

Committee: INCITS/INCITS

INCITS 72-1981[S2008]

[Parallel Recorded Magnetic Tape Cartridge for Information Interchange, 4-Track, 0.250 Inch \(6.30 mm\), 1600 bpi \(63 bpmm\), Phase Encoded](#)

Committee: INCITS/INCITS

INCITS 73-1980[S2007]

[Single-Sided Unformatted Flexible Disk Cartridge for 6631 BPR Use](#)

Committee: INCITS/INCITS

INCITS 74-1987[S2008]

[PL/I General Purpose Subset](#)

Committee: INCITS/PL22

INCITS 76-1981[S2007]

[Unformatted Single-Disk Cartridge \(Top Loading, 200 tpi, 4400 bpi\), General, Physical and Magnetic Requirements](#)

Committee: INCITS/INCITS

INCITS 82-1980[S2011]

[One-Sided Single-Density Unformatted 5.25 Inch Flexible Disk Cartridge](#)

Committee: INCITS/INCITS

INCITS 83-1995[R2010]

[ISO Registration According to ISO 2375 - ANSI sponsorship procedures](#)

Committee: INCITS/L2

INCITS 85-1981[S2008]

[1/2-Inch Magnetic Tape Interchange Using a Self-Loading Cartridge](#)

Committee: INCITS/INCITS

INCITS 86-1980[S2007]

[Optical Character Recognition \(OCR\) Inks](#)

Committee: INCITS/INCITS

INCITS 89-1981[S2007]

[Unrecorded Single-Disk, Double-Density Cartridge \(Front Loading 2200 BPI, 200 TPI\), General, Physical and Magnetic Requirements](#)

Committee: INCITS/INCITS

INCITS 93M-1981[S2007]

[Optical Character Recognition \(OCR\) Character Positioning](#)

Committee: INCITS/INCITS

INCITS 94-1985[S2007]

[Programming Language - Programming Aid for Numerically Controlled Manufacturing \(PANCM\)](#)

Committee: INCITS/PL22

INCITS 96-1983[S2007]

[Paper Sizes for Single Part Continuous Business Forms](#)

Committee: INCITS/INCITS

INCITS 99-1983[S2007]

[Information Systems - Optical Character Recognition \(OCR\) - Guidelines for OCR Print Quality](#)

Committee: INCITS/INCITS

INCITS X4.6-1979[S2008]

[10-Key Keyboard for Adding and Calculating Machines](#)

Committee: INCITS/INCITS

INCITS/GKS-TIB-1-1989[]

[GKS Information Bulletin](#)

Committee: INCITS/H3

INCITS/TR-13-1998[R2008]

[Information Processing Systems - Object-Oriented Extensions to Pascal Technical Report](#)

Committee: INCITS/PL22

INCITS/TR-17-1997[R2007]

[Numerical C Extension](#)

Committee: INCITS/PL22.11

INCITS/TR-23-1998[R2008]

[Technical Report for SCSI Enhanced Parallel Interface \(EPI\)](#)

Committee: INCITS/T10

INCITS/TR-26-2000[R2010]

[Fibre Channel - High Speed Parallel Interface \(FC-HSPI\) Technical Report](#)

Committee: INCITS/T11

INCITS/TR-28-2002[R2007]

[SCSI Domain Validation \(SDV\)](#)

Committee: INCITS/T10

INCITS/TR-31-2002[R2007]

[Fibre Channel Avionics Environment \(FC-AE\)](#)

Committee: INCITS/T11.3

INCITS/TR-32-2003[R2008]

[Information technology - Fibre Channel Management Information Base \(MIB-FA\)](#)

Committee: INCITS/T11

INCITS/TR-33-2003[R2008]

[Information Technology - Fibre Channel Signal Modeling \(FC-SM\) Technical Report](#)

Committee: INCITS/T11.2

INCITS/TR-35-2004[R2009]

[Information technology - Fibre Channel - Methodology of Jitter and Signal Quality Specification \(FC-MJSQ\)](#)

Committee: INCITS/T11.2

INCITS/TR-36-2004[R2009]

[Information technology - Fibre Channel Device Attach \(FC-DA\)](#)

Committee: INCITS/T11.3

INCITS/TR-37-2004[R2009]

[Information Technology - Time-limited Read/Write Mode](#)

Committee: INCITS/T13

INCITS/TR-38-2007[]

[Information Technology - SMART Command Transport \(SCT\)](#)

Committee: INCITS/T13

INCITS/TR-39-2005[R2010]

[Information Technology - Fibre Channel Methodologies for Interconnects -2 \(FC-MI-2\)](#)

Committee: INCITS/T11.3

INCITS/TR-40-2005[R2010]

[Information technology - Fibre Channel Avionics Environment - SCSI-3 Remote Direct Memory Access \(FC-AE-RDMA\)](#)

Committee: INCITS/T11.3

INCITS/TR-41-2006[R2011]

[Information technology - Fibre Channel - Avionics Environment Anonymous Subscriber Messaging \(ASM\) \(FC-AE-ASM\)](#)

Committee: INCITS/T11.3

INCITS/TR-41:2006/AM 1-2008[]

[Information Technology - Fibre Channel - Avionics Environment - Anonymous Subscriber Messaging AMENDMENT 1 \(FC-AE-ASM/AM1\)](#)

Committee: INCITS/T11.3

INCITS/TR-42-2007[]

[Information technology -Fibre Channel Avionics Environment - Upper Layer Protocol and Profile based on MIL-STD-1553B Notice 2 \(FC-AE-1553\)](#)

Committee: INCITS/T11.3

INCITS/TR-43-2008[]

[Information technology - Method to Disable Data Transfer after Error Detection for ATA Devices \(DDT\)](#)

Committee: INCITS/T13

INCITS/TR-44-2008[]

[Information technology - Fibre Channel - Signal Modeling - 2 \(FCSM-2\) Technical Report](#)

Committee: INCITS/T11.2

INCITS/TR-46-2011[]

[Information technology - Fibre Channel Methodologies for Signal Quality specification \(FC-MSQS\) \(ANSI/INCITS Technical Report\)](#)

Committee: INCITS/T11.2
